

MILESTONE INSPECTION REPORT FORMS - STRUCTURAL BSIP INSPECTION FORM

Form EB18 – 2024

MILESTONE INSPECTION REPORT FORM PHASE 1

TABLE OF CONTENTS - Click on the subject or page number to advance to each section

Licensed Design Professional 1 Certification	Page 2
Licensed Design Professional 2 Certification	Page 3
1. Description of Structure	Page 4
2. Present Condition of Structure	Page 5
3. Inspections	Page 7
4. Supporting Data Attached	Page 7
5. Foundation	Page 8
6. Masonry Bearing Wall	Page 9
7. Floor and Roof System	Page 11
8. Steel Framing System	Page 16
9. Concrete Framing System	Page 17
10. Windows, Storefronts, Curtainwalls, and Exterior Doors	Page 19
11. Wood Framing	Page 21
12. Building Façade Inspection	Page 23
13. Special or Unusual Features in the Building	Page 23
14. Deterioration	Page 23
15. Unsafe Conditions	Page 24
16. Safe Occupancy Determination	Page 24
17. Summary of Findings	Page 25
18. Review of Existing Documents and Permit Records	Page 25
19. Definition of Terms	Page 26

MILESTONE INSPECTION REPORT FORMS - STRUCTURAL BSIP INSPECTION FORM

Form EB18 – 2024

MILESTONE INSPECTION REPORT FORM

PHASE 1 Milestone Inspection

☒ Initial Phase 1 Inspection Report

☐ Amended Phase 1 Inspection Report as required after completion of any repairs.

Note: All Required Fields Appear in Red

Licensed Engineer(s) or Architect(s) Responsible for the Milestone Inspection

Inspection Firm Name (if applicable): TRC Worldwide Engineering (Restoration and Inspection), LLC

Inspection Engineer/Architect Name and License Number: Robert K. Algoo, P.E. - License Number 86619

Address: 11926 Fairway Lakes Drive, Fort Myers, FL 33913

Telephone Number: 239-939-1414

Assuming Responsibility for: ☒ All ☐ Portion - If Portion please list:

Inspection Commenced Date: 02/26/2025 Inspection Completed Date: 03/21/2025

Additional Inspection Firm Name (if applicable):

Additional Inspection Engineer/Architect Name:

Address:

Telephone Number:

Assuming responsibility for: ☐ All ☐ Portion – If portion please list:

Inspection Commenced Date: Inspection Completed Date:

NOTE: Add pages as required to list all additional design professionals assuming responsibility for the Milestone Inspection or portions thereof. Each Design Professional must sign and seal their portion of the work in accordance with Florida Statutes.

Please check all that apply:

☐ Substantial Structural Deterioration Observed; Phase 2 inspection is required

☐ Reason to Believe a Dangerous Inaccessible Condition of Major Structural Component; Phase 2 inspection is required to complete Milestone Inspection of Inaccessible Conditions

☐ Dangerous Condition Observed; Structural Evaluation is required; A Phase 2 Inspection is required

**A condition exists that the Milestone Inspector determines would need a Phase 2 Inspection or structural evaluation of the specific item identified or area in order to determine whether a dangerous condition exists.*

☐ Immediate Dangerous Condition Observed; Notify Building and Fire Official; Structural Evaluation May be required, possible Shoring and a Phase 2 inspection is required


☐ Maintenance Needed but does not raise to the level of Substantial Deterioration or Dangerous. Phase 1 Inspection Passes

☒ Passed Phase 1 Inspections

Licensed Design
Professional:

☒ Engineer

☐ Architect



Seal

This item has been digitally signed and sealed by Robert Algoo, PE on the date adjacent to the seal.

Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

Click the button below to check if all required fields are completed.

If they are not, you will be told which fields must be completed.

If they are, the signature box below will unlock, allowing you to sign and lock the form.

Check Required Fields

I am qualified to practice in the discipline in which I am hereby signing,

Signature: **Robert Algoo, PE** Digitally signed by Robert Algoo, PE
DN: C=US, SN=Algoo, PE, G=Robert,
SERIALNUMBER=5136b0f9-28e1-46f2-b3a0-fd9dd91
053b6, CN=Robert Algoo, PE Date **03/21/2025**
Reason: I attest to the accuracy and integrity of this document
Location: your signing location here
Date: 2025-03-21 10:31:53
Foxit PhantomPDF Version: 9.7.0

This report has been based upon the minimum milestone inspection requirements as listed in *Chapter 18 of the Florida Building Code, Existing Building*. To the best of my knowledge and ability, this report represents an accurate appraisal of the present condition of the structure, based upon careful evaluation of observed conditions, to the extent reasonably possible.

See: General Considerations & Guideline

Supporting Data Attached:

Add Attachments

Licensed Design
Professional:

☐ Engineer

☐ Architect



Name:

License
Number:

Seal

Click the button below to check if all required fields are completed.

If they are not, you will be told which fields must be completed.

If they are, the signature box below will unlock, allowing you to sign and lock the form.

Check Required Fields

I am qualified to practice in the discipline in which I am hereby signing,

Signature:

Date

This report has been based upon the minimum milestone inspection requirements as listed in *Chapter 18 of the Florida Building Code, Existing Building*. To the best of my knowledge and ability, this report represents an accurate appraisal of the present condition of the structure, based upon careful evaluation of observed conditions, to the extent reasonably possible.

See: General Considerations & Guideline

Supporting Data Attached:

Add Attachments

1. DESCRIPTION OF STRUCTURE		Add Attachments	
a. Name on Title:	Le Jardin A Condominium		
b. Street Address:	4201 Gulf Shore Blvd N		
c. Legal Description:	PARK SHORE UNIT 5 BLK 12 1/6 INT IN COMMONS "U" AND 1/6 INTIN COMMONS "T" OF BLK 12 PARK SHORE UNIT 2		
d. Owner's Name:	LE JARDIN CONDOMINIUM ASSOCIATION, INC.		
e. Owner's Mailing Address:	4201 Gulf Shore Blvd N. Naples, FL 34103		
f. Email Address:	lejardin4201@comcast.net	Contact Number:	239-549-8563
g. Folio Number of Property on Which Building is Located:	16060550102		
h. Building Code Occupancy Classification:	Residential R-2		
i. Present Use:	Private Condominium		
j. General Description:	High-rise building with 52 residential units	Type of Construction:	Reinforced slabs, post tension slabs, columns, shear walls
k. Square Footage:	1. Total Building Area: 15,600 SF 2. Building Footprint Area: 358,110 SF		
l. Name of the Condo or Coop Entity:	LE JARDIN CONDOMINIUM ASSOCIATION, INC.		
m. Special Features:	(2) Plaza Decks over Parking, Pool Deck Structure, Roof-Level Machine Rooms.		
n. Describe any Additions to Original Structure:	The original pool deck was damaged during Hurricane Ian in 2022, it was subsequently demolished and reconstructed under Permit No. PRSW2400252. TRC has reviewed existing building drawings and compared to as-built construction. Based upon visual observations and above noted inspections, TRC did not observe any other significant or readily observable structural additions/modifications.		
o. Approximate Distance to the Coast and Method Used to Determine Distance:	0.162 miles (or 855 ft) from the coast according to Google Earth measuring tool.		

2. PRESENT CONDITION OF STRUCTURE

Add Attachments



a. General Alignment (Note: ☒ Good, Fair, Poor, Significant - Explain if significant):

1. Bulging: ☒ Good ☐ Fair ☐ Poor ☐ Significant

No obvious signs of Bulging were observed.

2. Settlement: ☒ Good ☐ Fair ☐ Poor ☐ Significant

No obvious signs of Settlement were observed.

3. Deflections: ☒ Good ☐ Fair ☐ Poor ☐ Significant

No obvious signs of Deflections were observed.

4. Expansion: ☒ Good ☐ Fair ☐ Poor ☐ Significant

No obvious signs of Expansion were observed.

5. Contraction: ☒ Good ☐ Fair ☐ Poor ☐ Significant

No obvious signs of Contraction were observed.

b. Portion Showing Distress (Note: Beams, Columns, Structural Walls, Floor, Roofs, Other):

No obvious signs of Structural Distress were observed.

[2. PRESENT CONDITION OF STRUCTURE CONTINUED]

- c. Surface Conditions – Describe general conditions of finishes, noting cracking, spalling, peeling, signs of moisture penetration and strains:

The exterior finishes are predominantly painted stucco with control joints. The finishes are generally in good condition.

- d. Cracks – Note location in significant members. Identify crack size as HAIRLINE if Barely Discernible; FINE if less than 1 mm in width; MEDIUM if Between 1mm and 2 mm in Width; WIDE if Over 2mm

Location: ☒ Hairline ☐ Fine ☐ Medium ☐ Wide

No significant structural cracking was observed.

- e. General Extent of Deterioration – Cracking or Spalling Concrete or Masonry, Oxidation of Metals; Rot or Borer Attack in Wood:

No significant Deterioration of structural elements was observed.

- f. Note Previous Patching or Repairs:

Based upon our experience with the property, previous repairs/rennovations were performed at the plaza deck under Permit No. PRAD2201984. The pool deck structure was demolished under Permit No. PRDE2304853 and reconstructed under Permit No. PRSW2400252.

- g. Nature of Present Loading Indicate Residential, Commercial, Other Estimate Magnitude:

The building is a condominium and has Typical Residential live and dead loads throughout.

- h. Are there any other significant observations? ☐ Yes ☒ No

If Yes, Describe:

3. INSPECTIONS	Add Attachments	▲
a. Date of Notice of Required Inspection: <u>12/31/2025</u>		
b. Date(s) of Actual Inspection: <u>02/26/2025</u>		
c. Name and Qualifications of the Individual Preparing Report: Robert K. Algoo, P.E, Florida Registration No. 86619		
d. Description of Laboratory or Other Formal Testing, If Required, Rather than Manual or Visual Procedures: No testing was deemed necessary based upon visual observations.		
e. Has the property record been researched for any current code violations or unsafe structure cases? ☒ Yes ☐ No Explanation/Comments: Performed search through City of Naples Building Department Portal - No code violations with respect to occupancy or unsafe structure cases noted.		

4. SUPPORTING DATA ATTACHED	Add Attachments
Check if attached:	
a. Sheets of written data: ☐ Yes ☒ No	
b. Photographs: ☐ Yes ☒ No	
c. Drawings or sketches: ☐ Yes ☒ No	
d. Test reports: ☐ Yes ☒ No	

5. FOUNDATION



a. Describe Building Foundation:

The building is supported on a pile-supported deep foundation system.

b. Is Wood in Contact or Near Soil?

☐ Yes

☒ No

☐ N/A, Explain Below

c. Signs of Differential Settlement?

☐ Yes

☒ No

If Yes, Explain:

d. Describe Any Cracks, Separation, or Other Signs in the Walls, Column or Beams that Signal Differential Settlement:

No significant signs (cracking, separation) of Differential Settlement were observed in the Walls, Columns, or Beams.

e. Is water drained away from the foundation?

If No, Explain:

☒ Yes

☐ No

f. Is there additional Sub-Soil Investigation required?

☐ Yes

☒ No

If Yes, Describe:

6. MASONRY BEARING WALL – Indicate Good, Fair, Poor, or Significant on Appropriate Lines
(Definitions for assessments can be found in section 19)

Does this building have Masonry Bearing Walls? If yes, continue on. If no, skip to Section 7.

(Note: **1** Good, Fair, Poor, Significant)

☐ Yes ☒ No

a. Concrete Masonry Units:

☐ Good ☐ Fair ☐ Poor ☐ Significant ☒ N/A

b. Clay Tile or Cotta Units:

☐ Good ☐ Fair ☐ Poor ☐ Significant ☒ N/A

c. Reinforced concrete tie Columns:

☐ Good ☐ Fair ☐ Poor ☐ Significant ☒ N/A

d. Reinforced Concrete Tie Beams:

☐ Good ☐ Fair ☐ Poor ☐ Significant ☒ N/A

e. Lintel:

☐ Good ☐ Fair ☐ Poor ☐ Significant ☒ N/A

f. Other Type Bond Beams:

☐ Good ☐ Fair ☐ Poor ☐ Significant ☒ N/A

g. Masonry Finishes – **Exterior**:

1. Stucco:

☐ Good ☐ Fair ☐ Poor ☐ Significant ☒ N/A

2. Veneer:

☐ Good ☐ Fair ☐ Poor ☐ Significant ☒ N/A

3. Paint Only:

☐ Good ☐ Fair ☐ Poor ☐ Significant ☒ N/A

4. Other:

☐ Good ☐ Fair ☐ Poor ☐ Significant ☒ N/A

Explain:

h. Cracks – Note Beams, Columns, or Others, Including Locations (Description):

[6. MASONRY BEARING WALL CONTINUED]

i. Spalling – In Beams, Columns, or Others, Including Locations (Description):

j. Rebar Corrosion – Check Appropriate Line:

1. ☒ None Visible
2. ☐ Minor – Patching will suffice
3. ☐ Significant – Patching will suffice
4. ☐ Significant – Structural repairs required

Describe:

k. Were samples chipped out for examination in spalled areas?

1. ☒ No
2. ☐ Yes – Describe color, texture, aggregate, general quality:

7. FLOOR AND ROOF SYSTEM

(Note: ⓘ Good, Fair, Poor, Significant)

[Add Attachments](#)**a. Roof:**

1) Roof Pitch

☒ Flat☐ Pitched

2) Roof Structural Framing

☐ Wood☐ Steel☒ Concrete☐ Unknown☐ Other

If Other, Describe:

The Roof Structural framing is comprised of a post-tensioned reinforced concrete slab.

3) Roof Structural Framing Condition:

☒ Good ☐ Fair ☐ Poor ☐ Significant

4) Roof Deck Material

☒ Concrete☐ Wood☐ Structural concrete on steel deck☐ Non-structural / insulating concrete
on steel deck☐ Bare steel deck☐ Other

Describe:

The Roof Structural framing is comprised of a post-tensioned reinforced concrete slab.

5) Roof Cladding Type

☐ Tile☐ Asphalt shingles☐ Built-up roofing (BUR)☒ Single ply (Membrane)☐ Metal☐ Other

Describe:

The Roof Cladding Type is a Single-Ply Membrane system.

6) Roof Covering Condition

☒ Good ☐ Fair ☐ Poor ☐ Significant

The Roof covering was observed to be in Good Condition.

7) Note Water Tanks, Cooling Towers, Air Conditioning Equipment, Signs, Other Heavy Equipment and Condition of Support:

The Roof housed elevator and machine equipment rooms. All observed supports were in Good condition.

8) Note Types of Drains, Scuppers, and Condition:

The Roof drainage consists of Primary Drains through the slab as well as Secondary drainage through perimeter Scuppers. All observed drainage components were in Good Condition.

9) Describe Parapet Construction and Current Condition:

The Parapet wall sections are of reinforced concrete construction which are covered in adhered exterior stucco. The parapet was observed to be in Good Condition.

10) Describe Mansard Construction and Current Condition:

☐ Good ☐ Fair ☐ Poor ☐ Significant ☒ N/A

There is no mansard framing at this structure.

[7. FLOOR AND ROOF SYSTEM CONTINUED] (Note: ☒ Good, Fair, Poor, Significant)

11) Describe Any Roofing Framing Member with Obvious Overloading, Overstress, Deterioration, or Excessive Deflection:

No Roof Framing Members with significant signs or overloading, overstress, deterioration, or deflection were observed.

12) Note Any Expansion Joint and Condition:

☒ Good ☐ Fair ☐ Poor ☐ Significant

The Expansion Joints were replaced in 2022 during the plaza deck renovations and were observed to be in Good condition.

b. Floor System(s):

1. Describe (Type of System Framing, Material, Spans, Condition, Balconies):
Condition:

☒ Good ☐ Fair ☐ Poor ☐ Significant

The Floor Systems are constructed of post-tensioned concrete flat-plate slabs.

2. Balcony Structural System

- ☒ Edge and Building Face
☐ Supported Cantilever
☐ No Balcony

(If no balcony skip to number 7, Stairs and Elevators)

The Balcony Structural system is composed of post-tensioned concrete flat-plate slabs that are supported by the Edge and Building Face.

3. Balcony Exposure (if structure is on the coast)

- ☒ Ocean facing
☐ Non-ocean facing

Please note that this structure has balconies that are facing the Gulf of America.

4. Balcony Construction

- ☒ Concrete
☐ Steel framing with concrete topping
☐ Wood
☐ Other (define in narrative)

The Balcony Construction is of post-tensioned concrete flat-plate slabs.

5. Balcony Condition Rating

- ☒ Good
☐ Fair (e.g., minor cracking, minor rebar corrosion – patching will suffice)
☐ Poor (e.g., significant cracking, rebar corrosion requiring repairs)
☐ Significant

6. Balcony Condition Description (e.g., Spalling, Cracking, Rebar Corrosion)

The Balcony Conditions were observed to be Good with no visible signs of Spalling, Cracking or Rebar Corrosion.

7. Stairs and Elevators – Indicate location, framing system, material, and condition:

The Stairs are constructed of Reinforced Concrete. The Elevator Shafts and Stairwells are constructed of reinforced concrete and reinforced concrete masonry units. The conditions of these items was observed to be in Good condition.

8. Ramps – Indicate location, framing system, material, and condition:

There are structural ramps at this building.

9. Guardrails – Indicate type, location, and material

(If no Guardrail, skip to "c. Inspection")

- ☐ Wood ☐ Stainless Steel ☐ Glass ☐ None
☐ Metal ☐ Ungalvanized Steel ☐ CMU Kneewall
☒ Aluminum ☐ Concrete Kneewall ☐ Other _____

Describe any details:

The guardrails implemented throughout the Property are of aluminum screen enclosure systems with picketed guards.

10. Guard Condition (define ratings depending on guard system)

☒ Good ☐ Fair ☐ Poor ☐ Significant, Describe:

The Guardrails were observed to be in Good Condition.

c. Inspection – Note exposed areas available for inspection, and where it was found necessary to open ceilings, etc. for inspection of typical framing members:

TRC performed visible observations of the building exterior from the ground level and from the buildings elevated decks. TRC accessed 25% of the condominium units, randomly, to perform visual observations of the units and balconies. TRC performed walk through observations of all common elements, mechanical rooms, electrical rooms, and stairwells. It was not necessary to remove ceilings, wall coverings, or other finishes to expose framing members as there were no significant signs of structural distress observed.

8. STEEL FRAMING SYSTEM**Add Attachments**

Steel Framing System Exists: ☐ Yes ☒ No (If no Steel Framing System, skip to section 9)

a. Full Description of System:

b. Exposed Steel – Describe condition of paint and degree of corrosion:

c. Steel Connections – Describe type and condition:

d. Concrete or Other Fireproofing – Describe any cracking or spalling and note where any covering was removed for inspection:

e. Identify any steel framing member with obvious overloading, overstress, deterioration or excessive deflection (provide location(s)):

f. Elevator Sheave Beams, Connections, and Machine Floor Beams – Note Column:

9. CONCRETE FRAMING SYSTEM

Add Attachments



Concrete Framing System Exists: ☐ Yes ☐ No (If no Concrete Framing System, skip to section 10)

a. Full Description of Structural System:

The building is constructed of post-tensioned flat plate reinforced concrete slabs supported on concrete columns and a deep foundation system. The building is supported laterally by reinforced concrete walls.

b. Cracking:

1. ☐ Significant ☒ Not Significant

2. Description of members affected location and type of cracking:

No significant cracking was observed on any concrete members.

c. General Condition Description:

The Building's Concrete Framing System was in good condition with no significant cracking observed and no significant signs of structural distress.

d. Rebar Corrosion – Check Appropriate Line:

1. ☒ Non-Visible
2. ☐ Significant – Patching will suffice
3. ☐ Significant – Structural repairs required

Describe:

No visible Rebar Corrosion was observed.

[9. CONCRETE FRAMING SYSTEM CONTINUED]

e. Were samples chipped out for examination in spalled areas?

1. ☒ No
2. ☐ Yes – Describe color, texture, aggregate, general quality:

No samples were chipped out for examination.

f. Identify any concrete framing member (e.g., slabs and transfer elements) with obvious overloading, overstress, deterioration (e.g., efflorescence at underside of slab or at base of column or wall) or excessive deflection (provide location(s)):

No visible signs of obvious overloading, overstress, deterioration or excessive deflection were observed.

10. WINDOWS, STOREFRONTS, CURTAINWALLS AND EXTERIOR DOORS



a. Structural Glazing on the exterior envelope of threshold building:

☐ Yes

☒ No

1. Previous Inspection
Date:

2. Description of Curtainwall Structural Glazing and adhesive sealant:

3. Describe Condition of System:

b. Exterior Doors:

1. Type: ☐ Wood ☐ Steel ☐ Aluminum ☒ Sliding Glass Door ☐ Other
(If Other, Describe):

The predominant type of exterior doors were sliding glass doors.

2. Anchorage Type and Condition of Fasteners and Latches

The exterior doors are connected to the host structure with concrete screw anchors in the slabs and masonry jambs and headers.

3. Sealant Type and Condition of Sealant:
☒ Good ☐ Fair ☐ Poor ☐ Significant

The sealants was observed to be in Good Condition.

[10. WINDOWS, STOREFRONTS, CURTAINWALLS AND EXTERIOR DOORS CONTINUED]

4. Describe General Condition:

The Doors and Sliding Glass Doors were observed to be in Good Condition for their age.

5. Describe repairs needed:

Based upon the observed conditions, no repairs are required.

11. WOOD FRAMING

Add Attachments



Wood Framing System Exists: ☐ Yes ☒ No (If no Wood Framing System, skip to section 12)

a. Type – Fully describe if mill construction, light construction, major spans, trusses:

b. Indicate Condition of the Following:

1. Walls:

2. Floors:

3. Roof Member, Roof Trusses:

c. Note Metal Fitting (i.e., Angles, Plates, Bolts, Splint Pintles, Other and Note Condition):

d. Joints – Note if well fitted and still closed:

[11. WOOD FRAMING CONTINUED]

e. Drainage – Note accumulations of moisture:

f. Ventilation – Note any concealed spaces not ventilated:

g. Note any concealed spaces opened for inspection:

h. Identify any wood framing member with obvious overloading, overstress, deterioration, or excessive deflection:

12. BUILDING FACADE INSPECTION

Add Attachments



- a. Identify and describe the exterior walls and appurtenances on all sides of the building (cladding type, corbels, precast appliques, etc.):

The exterior walls of the building are of reinforced masonry. The building is predominantly finished with stucco but also has exterior storefront glass at some elevations.

- b. Identify attachment type of each appurtenance type (mechanically attached or adhered):

The stucco applications are adhered. The storefront framing noted above is also mechanically attached.

- c. Indicate the condition of each appurtenance (distress, settlement, splitting, bulging, cracking, loosening of metal anchors and supports, water entry, movement of lintel or shelf angles or other defects):

The exterior building facade is in good condition with no significant visible signs of distress, settlement, splitting, bulging, cracking, delamination, or other defects.

13. SPECIAL OR UNUSUAL FEATURES IN THE BUILDING

- a. Identify and describe any special or unusual features (i.e., cable suspended structures, tensile fabric roof, large sculptures, chimney, porte-cochere, retaining walls, seawalls, etc.):

(2) Plaza Decks over Parking, Pool Deck Structure, Roof-Level Machine Rooms.

- b. Indicate condition of special feature, its supports and connections:

Generally, no obvious signs of structural distress were noted in the above features, supports, or connections.

14. DETERIORATION

- a. Based on the scope of the inspection, describe any structural deterioration and describe the extent of such deterioration.

No significant structural deterioration was observed during TRC's inspection.

15. UNSAFE CONDITIONS

- a. State whether unsafe or dangerous conditions exist, as these terms are defined in the Florida Building Code, where observed. ☐ Yes ☒ No

✓ By checking this box, the undersigned states that the inspections detailed in this report were performed with the primary objective of identifying potential structural issues. Other conditions may render a building unsafe, including, but not limited to, the existence of unsanitary conditions, inadequate maintenance, illegal occupancy, inadequate means of egress, or inadequate lighting and ventilation. If potentially unsafe conditions were observed, they will be noted, but the inspections were not intended to be a comprehensive assessment of whether any such conditions exist in the subject building.

16. SAFE OCCUPANCY DETERMINATION

- a. Based on the results of the inspection, does the building or any portion of the building need to be vacated, secured, or access limited? If so, what portions of the building need to be vacated and how quickly do those portions need to be vacated, secured, or access limited? ☐ Yes ☒ No

Add Attachments

17. SUMMARY OF FINDINGS



The below Condition(s) were noted within this Phase 1 Inspection.

- ☐ Indication of Dangerous Condition Observed
- ☐ Actual Dangerous Condition Observed
- ☐ Indication of Substantial Structural Deterioration Observed
- ☐ Actual Substantial Structural Deterioration Observed
- ☐ Indication of Need for Maintenance
- ☐ Indication of Need for Repair
- ☐ Indication of Need for Replacement
- ☐ Inaccessible Condition of Structural Component

Phase 2 Inspection Required:

- | | |
|---------------------------|-------------------------------------|
| ☐ Yes | ☒ No |
| ☐ Yes | ☒ No |
| ☐ Yes | ☒ No |
| ☐ Yes | ☒ No |
| ☐ Yes | ☒ No |
| ☐ Yes | ☒ No |
| ☐ Yes | ☒ No |
| ☐ Yes | ☒ No |

18. REVIEW OF EXISTING DOCUMENTS AND PERMIT RECORDS



It appears that unpermitted structural work has been performed as follows, and the Building Official has been notified:

☐ Yes ☒ No

If yes, describe unpermitted work:

TRC has reviewed existing building drawings and compared to as-built construction. Based upon their visual observations and above noted inspections, TRC did not observe any significant structural alterations that were not part of structural documents permitted by the authority having jurisdiction.

Add Attachments

19. DEFINITIONS OF TERMS

Good: No Substantial Structural Deterioration and No Dangerous Condition Observed.

Fair: Indication of Substantial Structural Deterioration Observed and No Dangerous Condition Observed.

Poor: Actual Substantial Structural Deterioration Observed and No Dangerous Condition Observed.

Significant: Any Observation which is an Indication of Dangerous Condition or Actual Dangerous Condition.

Major Structural Component. Means a building's load-bearing elements, primary structural members, and primary structural systems.

Substantial Structural Deterioration. Means a condition that negatively affects a building's structural condition and integrity, or a major structural component whose condition meets the definition of Dangerous. The term does not include surface imperfections such as cracks, distortion, sagging, deflections, misalignment, signs of leakage, or peeling of finishes unless the licensed engineer or architect performing the phase one or phase two inspection determines that such surface imperfections are a sign of substantial structural deterioration.

Unsafe conditions. Buildings that are or hereafter become *unsafe*, insanitary or deficient because of inadequate means of egress facilities, inadequate light and ventilation, or that constitute a fire hazard, or are otherwise dangerous to human life or the public welfare, or that involve illegal or improper occupancy or inadequate maintenance, shall be deemed an *unsafe* condition. *Unsafe* buildings shall be taken down and removed or made safe as the *code official* deems necessary and as provided for in this code. A vacant building that is not secured against unauthorized entry shall be deemed *unsafe*. If an owner of the building fails to submit proof to the local enforcement agency that repairs have been scheduled or have commenced for substantial structural deterioration identified in a phase two milestone inspection report within the required timeframe, the local enforcement agency must review and determine if the building is unsafe for human occupancy.

Dangerous. Any building, structure or portion thereof that meets any of the conditions described below shall be deemed dangerous:

1. The building or structure has collapsed, has partially collapsed, has moved off its foundation or lacks the necessary support of the ground.
2. There exists a significant risk of collapse, detachment or dislodgment of any portion, member, appurtenance or ornamentation of the building or structure under permanent, routine, or frequent loads; under actual loads already in effect; or under wind, rain, flood, or other environmental loads when such loads are imminent.